



Manual



LED Flame Light F-6

Table of content

1. Safety instructions	3
1.1. FOR SAFE AND EFFICIENT OPERATION	3
2. Introduction	5
2.1. Unpacking	5
2.2. Overview	5
3. Control	6
3.1. Display	6
3.2. DMX chart	6
4. Technical data	7

1. Safety instructions



- This device is suitable for indoor use (not outdoors) only.
- All modifications to the device will void the warranty.
- Repairs are to carry out by skilled personnel only.
- Use only fuses of the same type and original parts as spare parts.
- Protect the unit from rain and humidity to avoid fire and electric shocks.
- Make sure to unplug the power supply before opening the housing.

1.1. FOR SAFE AND EFFICIENT OPERATION

Be careful with heat and extreme temperature

Avoid exposing it to direct rays of the sun or near a heating appliance.

Not put it in a temperature below 32°F /0°C, or exceeding 104°F /40°C.

Keep away from humidity, water and dust

Do not place the set in a location with high humidity or lots of dust.

Containers with water should not be placed on the set.

Keep away from sources of hum and noise

Such as transformer motor, tuner, TV set and amplifier.

To avoid placing on un-stable location

Select a level and stable location to avoid vibration.

Do not use chemicals or volatile liquids for cleaning

Use a clean dry cloth to wipe off the dust, or a wet soft cloth for stubborn dirt.

If out of work, contact sales agency immediately

Any troubles arose, remove the power plug soon, and contact with an engineer for repairing, do not open the cabinet by yourself, it might result a danger of electric shock.

Take care with the power cable

Never pull the power cable to remove the plug from the receptacle, be sure to hold the plug.

When not using the device for an extended period of time, be sure to disconnect the plug from the receptacle.

Important: Damages caused by the disregard of this user manual are not subject to warranty. The dealer will not accept liability for any resulting defects or problems. Make sure the electrical connection is carried out by qualified personnel. All electrical and mechanical connections have to be carried out according to the European safety standards.

2. Introduction


Thank you for choosing this product. Before unpacking the device read this manual carefully. In this manual you can find information about the handling and the safety regulations of this product.

2.1. Unpacking

Open the shipping packing and check whether all necessary accessories to operate the unit have arrived complete and intact. If you recognize any defects do not connect the unit to power supply system and contact your dealer.

- 1 x LED Flame Light F-6
- 1 x White silk
- 1 x Power cable
- 1 x Manual


2.2. Overview



1. Fixed shelf
2. LEDs
3. Air outlet
4. LCD Display
5. LED color setting
6. XLR Input 3-Pin
7. Power-switch
8. Power socket
9. XLR Input 5-Pin
10. LED & Fan on

3. Control

3.1. Display



By pressing MENU you get into the menu. With „Addr“you can set the DMX address by pressing UP/DOWN.

If you operate the device without you have two more possibilities for setting.

„LED&FAN CONTROL“	Switch on the LEDs and Fan
„LED COLOR SETTING2	Choose one of seven preset colors.

Note: DMX control has the priority. Hence one the unit is connected with DMX, these two settings would be void.

3.2. DMX chart

Channel	Value from	Value to	Function
1	0	255	Dimmer red
2	0	255	Dimmer green
3	0	255	Dimmer blue
4	0	255	Color change
5	0	255	Speed of color change
6	0	255	Strobe
7	0	8	No function
	9	255	LED and Dimmer are switched on Dimmer 0-100%

4. Technical data

Power supply	
Voltage	220-240V/50-60Hz
Power consumption max.	1500 W
Light source	
LM Type	LED 3in1 RGB 3W
Color spectrum	RGB
Power	144W
Controlling	
Automatic	Yes
DMX512	7 channels
Hardware	
Protection class	IP20
Skill	Indoor
Measurements (LxBxH)	735x550x730mm
Weight	57,2kg

Importer:

**B & K Braun GmbH
Industriestraße 2
D-76307 Karlsbad**

info@bkbraun.com

